

# HARD CROSS 27.5

## HCX

SHIMANO  
STOPS  
E8000-Serie

Skeleton  
Interface

180mm  
travel

630  
Wh



Rahmen Frame	27.5" Alloy 6061, Enduro, Skeleton Interface, Full Integrated Battery, Full Active 4-Link 180mm travel, Boost 12 x 148mm, Post Mount 180
Federgabel Fork	ROCK SHOX Lyric Ultimate R2C, Charger2 RC2, Boost, Tapered, Maxle Ultimate, 180mm
Dämpfer Shock	ROCK SHOX Super Deluxe Select R, Debonair, 225 X 67.5, Trunnion
Motor Drive Unit	SHIMANO STePS DU-E8000, 70Nm
Display Display	SHIMANO SC-E8000 LCD Colour Display with ANT+ & Bluetooth Function
Bedieneinheit Shifter	SHIMANO SW-E7000-L STePS, 2-Button, Compact
Batterie Battery	SIMPLO 630Wh, Internal Battery, (36V / 17,5AH)
Ladegerät Charger	SIMPLO Fast Charger, 4A & Adapter for Intube Battery
Lenker Handlebar	RACE FACE, NEXT R Carbon, Width: 780mm, Rise: 20mm, Back Sweep: 8°, Up Sweep: 5°, Bar Bore, 35mm
Vorbau Stem	RACE FACE Turbine, CNC Alloy, 40mm, 0°, 35mm
Griffe Grip	ERGON GA20, Ergonomic Mountain Bike Grip
Bremsen Brake	MAGURA MT7 Pro, hydr. Disc, Front: 4-Piston / Rear: 2-Piston, Reach Adjust,
Gr. Bremsscheiben Rotorsize	203 / 203
Sattel Saddle	PROLOGO Dimension Nack CPC
Sattelstütze Seatpost	KINDSHOCK CI Dropper Post, Carbon,(S: 125mm, M/L: 150mm, XL: 170mm), 31.6mm
Schaltwerk Rear Deraillieur	SRAM X01, Eagle AXS, Electronic, 12-Speed
Schalthebel Shifter	SRAM Eagle AXS, Electric, 12-Speed
Kassette Cassette	SRAM X01 EAGLE, XG-1299, 10-50T
Kette Chain	SRAM CNGX
Kurbeln Crankarms	HUSQVARNA, Forged Alloy, 165mm
Kettenblatt Chaining	SRAM EAGLE ASX, Alloy, Narrow Wide, 34T
Vorderrad Front Wheel	BIKE AHEAD BiturboRS 650b, Full Carbon 6 Spoke, Tubeless Ready, 6 Bolt, Sram XD, 27.5"
Hinterrad Rear Wheel	BIKE AHEAD BiturboRS 650b, Full Carbon 6 Spoke, Tubeless Ready, 6 Bolt, Sram XD, 27.5"
Reifen Tire	SCHWALBE, EDDY CURRENT Front Evo, Super, Addix, 27.5x2,6
Pedal Pedal	VP COMPONENTS, VP-E506
Zul. Gesamtgewicht max. Weight	130kg

EUR 11.999,- | CHF 13.999,- | CZK 319.990,- | SEK 129.990,-

Empf. VK-Preis (inkl.MwSt.)

## HCX

Artikelnummer/Item

4000001542	Rh 42	Black / Black / Gold
4000001544	Rh 44	Black / Black / Gold
4000001546	Rh 46	Black / Black / Gold
4000001548	Rh 48	Black / Black / Gold

HC9

SHIMANO  
STePS  
E8000-SerieSkeleton  
InterfaceDi2  
DIGITAL INTEGRATED INTELLIGENCE180mm  
travel630  
Wh

Rahmen Frame	27.5" Alloy 6061, Enduro, Skeleton Interface, Full Integrated Battery, Full Active 4-Link 180mm travel, Boost 12 x 148mm, Post Mount 180
Federgabel Fork	FOX 36 FLOAT, Factory Series E-Bike, FIT4, Boost, Tapered, 180mm
Dämpfer Shock	FOX FLOAT X2, Factory Series, 2pos Adjust, 225 x 67.5, Trunnion
Motor Drive Unit	SHIMANO STEPS DU-E8000, 70Nm
Display Display	SHIMANO SC-E8000 LCD Colour Display with ANT+ & Bluetooth Function
Bedieneinheit Shifter	SHIMANO SW-E8050-L STEPS, Firebolt
Batterie Battery	SIMPLO 630Wh, Internal Battery, (36V / 17,5AH)
Ladegerät Charger	SIMPLO Fast Charger, 4A & Adapter for Intube Battery
Lenker Handlebar	HUSQVARNA MTB35, Low Rise, 780mm, 20mm Rise, 9° Back Sweep, 6° Up Sweep, Bar Bore: 35mm
Vorbau Stem	HUSQVARNA, Alloy, 40mm, 0°, 35mm
Griffe Grip	ERGON GA20, Ergonomic Mountain Bike Grip
Bremsen Brake	SHIMANO DEORE XT, BR-MT8020, 4-Piston, Servowave, Reach Adjust,
Gr. Bremsscheiben Rotorsize	203 / 203
Sattel Saddle	HUSQVARNA ENDR RDE
Sattelstütze Seatpost	KINDSHOK E20i Dropper Post, Alloy, (S: 375/100mm, M/L: 430/115mm, XL: 485/150mm), 31.6mm
Schaltwerk Rear Derailleur	SHIMANO DEORE XT Di2, RD-M8050, GS, 11-Speed, Shadow Plus
Schalthebel Shifter	SHIMANO DEORE XT Di2, SW-M8050, Firebolt, 11-Speed
Kassette Cassette	SHIMANO DEORE XT, CS-M8000-11, 11-42T
Kette Chain	KMC X11e
Kurbeln Crankarms	HUSQVARNA, Forged Alloy, 165mm
Kettenblatt Chaining	HUSQVARNA, Alloy, Narrow Wide, 34T
Vorderrad Front Wheel	DT SWISS, H1501 SPLINE, 35mm Rim, Tubeless Ready, Center Lock, Shimano, 27.5"
Hinterrad Rear Wheel	DT SWISS, H1501 SPLINE, 35mm Rim, Tubeless Ready, Center Lock, Shimano, 27.5"
Reifen Tire	SCHWALBE, EDDY CURRENT Front Evo, Super, Addix, 27.5x2,6
Pedal Pedal	VP COMPONENTS, VP-E506
Zul. Gesamtgewicht max. Weight	130kg

EUR	7.499,-	CHF	8799,-	CZK	199.990,-	SEK	81.990,-
-----	---------	-----	--------	-----	-----------	-----	----------

Empf. VK-Preis (inkl. MwSt.)

## HC9

## Artikelnummer/Item

4000001442	Rh 42	Blue /Bronze / Yellow
4000001444	Rh 44	Blue /Bronze / Yellow
4000001446	Rh 46	Blue /Bronze / Yellow
4000001448	Rh 48	Blue /Bronze / Yellow

# HARD CROSS 27.5

## HC8

SHIMANO  
STePS  
E8000-Serie

Skeleton  
Interface

180mm  
travel

630  
Wh



Rahmen Frame	27.5" Alloy 6061, Enduro, Skeleton Interface, Full Integrated Battery, Full Active 4-Link 180mm travel, Boost 12 x 148mm, Post Mount 180
Federgabel Fork	FOX 36 FLOAT Performance Series E-Bike, GRIP2, Boost, Tapered, 180mm
Dämpfer Shock	FOX FLOAT X2, Performance Series, 3 Pow Lever, 225 x 67.5, Trunnion
Motor Drive Unit	SHIMANO STePS DU-E8000, 70Nm
Display Display	SHIMANO SC-E8000 LCD Colour Display with ANT+ & Bluetooth Function
Bedieneinheit Shifter	SHIMANO SW-E7000-L STePS, 2-Button, Compact
Batterie Battery	SIMPLO 630Wh, Internal Battery, (36V / 17,5AH)
Ladegerät Charger	SIMPLO Fast Charger, 4A & Adapter for Intube Battery
Lenker Handlebar	HUSQVARNA MTB35, Low Rise, 780mm, 20mm Rise, 9° Back Sweep, 6° Up Sweep, Bar Bore: 35mm
Vorbau Stem	HUSQVARNA, Alloy, 40mm, 0°, 35mm
Griffe Grip	ERGON GA20, Ergonomic Mountain Bike Grip
Bremsen Brake	SHIMANO BR-MT520, hydr. Disc, 4-Piston, Servowave,
Gr. Bremsscheiben Rotorsize	203 / 203
Sattel Saddle	HUSQVARNA ENDR RDE
Sattelstütze Seatpost	KINDSHOK E20i Dropper Post, Alloy, (S: 375/100mm, M/L: 430/115mm, XL: 485/150mm), 31.6mm
Schaltwerk Rear Derailleur	SHIMANO DEORE XT, RD-M8100, SGS, 12-Speed, Shadow Plus
Schalthebel Shifter	SHIMANO DEORE XT, SL-M7100, Rapidfire Plus, 12-Speed
Kassette Cassette	SHIMANO SLX, CSM7100-12, 10-51T
Kette Chain	SHIMANO SLX CN-M7100
Kurbeln Crankarms	HUSQVARNA, Forged Alloy, 165mm
Kettenblatt Chaining	HUSQVARNA, Alloy, Narrow Wide, 34T
Vorderrad Front Wheel	DT SWISS, H1700 SPLINE, 35mm Rim, Tubeless Ready, Center Lock, Mircospline, 27.5"
Hinterrad Rear Wheel	DT SWISS, H1700 SPLINE, 35mm Rim, Tubeless Ready, Center Lock, Mircospline, 27.5"
Reifen Tire	SCHWALBE, EDDY CURRENT Front Evo, Super, Addix, 27.5x2,6
Pedal Pedal	VP COMPONENTS, VP-E506
Zul. Gesamtgewicht max. Weight	130kg



EUR 5.999,- | CHF 6.999,- | CZK 159.990,- | SEK 65.990,-  
Empf. VK-Preis (inkl.MwSt.)

### HC8

#### Artikelnummer/Item

4000001342	Rh 42	Bronze / White / Red
4000001344	Rh 44	Bronze / White / Red
4000001346	Rh 46	Bronze / White / Red
4000001348	Rh 48	Bronze / White / Red

HC7

SHIMANO  
STePS  
E8000-SerieSkeleton  
Interface180mm  
travel630  
Wh

Rahmen Frame	27.5" Alloy 6061, Enduro, Skeleton Interface, Full Integrated Battery, Full Active 4-Link 180mm travel, Boost 12 x 148mm, Post Mount 180
Federgabel Fork	ROCK SHOX Lyric Select RC, Charger RC, Boost, Tapered, Maxle Ultimate, 180mm
Dämpfer Shock	SR SUNTOUR TRIAir 3CR, 225 x 70, Trunnion
Motor Drive Unit	SHIMANO STePS DU-E8000, 70Nm
Display Display	SHIMANO SC-E7000 LED Display with ANT+ & Bluetooth Function
Bedieneinheit Shifter	SHIMANO SW-E7000-L STePS, 2-Button, Compact
Batterie Battery	SIMPLO 630Wh, Internal Battery, (36V / 17,5AH)
Ladegerät Charger	SIMPLO Fast Charger, 4A & Adapter for Intube Battery
Lenker Handlebar	HUSQVARNA MTB35, Low Rise, 780mm, 20mm Rise, 9° Back Sweep, 6° Up Sweep, Bar Bore: 35mm
Vorbau Stem	HUSQVARNA, Alloy, 40mm, 0°, 35mm
Griffe Grip	ERGON GA20, Ergonomic Mountain Bike Grip
Bremsen Brake	SHIMANO BR-MT420, hydr Disc, 4-Piston,
Gr. Bremsscheiben Rotorsize	203 / 203
Sattel Saddle	HUSQVARNA ENDR RDE
Sattelstütze Seatpost	HUSQVARNA, Dropper Post, Alloy, (S: 370/100mm, M/L: 420/125mm, XL: 480/150mm), 31.6mm
Schaltwerk Rear Derailleur	SRAM NX-11, 11-Speed
Schalthebel Shifter	SRAM NX Trigger, X-Actuation, 11-Speed
Kassette Cassette	SRAM NX, PG-1130, 11-42T
Kette Chain	SRAM PC1110
Kurbeln Crankarms	HUSQVARNA, Forged Alloy, 165mm
Kettenblatt Chaining	HUSQVARNA, Steel, Narrow Wide, 34T
Vorderrad Front Wheel	Rim: HQV Edition RYDE DISC35, 32H, 27.5" / Hub: HUSQVARNA Pro Boost, 15x110mm, 6-Bolt, 32H
Hinterrad Rear Wheel	Rim: HQV Edition RYDE DISC35, 32H, 27.5" / Hub: HUSQVARNA Pro-E Boost, 12x148mm, Shimano, 6-Bolt, 32H
Reifen Tire	SCHWALBE, MAGIC MARY, Performance, Snake Skin, TLE, 27.5x2,6
Pedal Pedal	VP COMPONENTS, VP-E506
Zul. Gesamtgewicht max. Weight	130kg

EUR	5.199,-	CHF	6.199,-	CZK	139.990,-	SEK	56.990,-
-----	---------	-----	---------	-----	-----------	-----	----------

Empf. VK-Preis (inkl. MwSt.)

## HC7

## Artikelnummer/Item

4000001242	Rh 42	Black / Anthracite / Red
4000001244	Rh 44	Black / Anthracite / Red
4000001246	Rh 46	Black / Anthracite / Red
4000001248	Rh 48	Black / Anthracite / Red

# HARD CROSS 27.5

## HC6

SHIMANO  
STePS  
E8000-Serie

Skeleton  
Interface

180mm  
travel



<b>Rahmen</b> Frame	27.5" Alloy 6061, Enduro, Skeleton Interface, Full Integrated Battery, Full Active 4-Link 180mm travel, Boost 12 x 148mm, Post Mount 180
<b>Federgabel</b> Fork	SR SUNTOUR DUROLUX36, Air, RC, Boost, 15QLC32, Tapered, 180mm
<b>Dämpfer</b> Shock	SR SUNTOUR EDGE LOR8, 225 x 70, Trunnion
<b>Motor</b> Drive Unit	SHIMANO STePS DU-E8000, 70Nm
<b>Display</b> Display	SHIMANO SC-E7000 LED Display with ANT+ & Bluetooth Function
<b>Bedieneinheit</b> Shifter	SHIMANO SW-E7000-L STePS, 2-Button, Compact
<b>Batterie</b> Battery	SIMPLO 504Wh, Internal Battery, (36V / 14AH)
<b>Ladegerät</b> Charger	SIMPLO Fast Charger, 4A & Adapter for Intube Battery
<b>Lenker</b> Handlebar	HUSQVARNA MTB35, Low Rise, 780mm, 20mm Rise, 9° Back Sweep, 6° Up Sweep, Bar Bore: 35mm
<b>Vorbau</b> Stem	HUSQVARNA, Alloy, 40mm, 0°, 35mm
<b>Griffe</b> Grip	HUSQVARNA Ride, D2 Compound, Lock-on
<b>Bremsen</b> Brake	TEKTRO ORION 4 P, hydr. Disc, 4-Piston, I-Spec
<b>Gr. Bremsscheiben</b> Rotorsize	203 / 203
<b>Sattel</b> Saddle	HUSQVARNA ENDR RDE
<b>Sattelstütze</b> Seatpost	HUSQVARNA, Dropper Post, Alloy, (S: 370/100mm, M/L: 420/125mm, XL: 480/150mm), 31.6mm
<b>Schaltwerk</b> Rear Derailleur	SHIMANO, DEORE, RD-M6000, GS, 10-Speed, Shadow Plus
<b>Schalthebel</b> Shifter	SHIMANO DEORE, SL-M6000, Rapidfire Plus, 10-Speed
<b>Kassette</b> Cassette	SHIMANO DEORE, CS-HG550, 11-42T
<b>Kette</b> Chain	KMC X10e
<b>Kurbeln</b> Crankarms	HUSQVARNA, Forged Alloy, 165mm
<b>Kettenblatt</b> Chaining	HUSQVARNA, Steel, Narrow Wide, 34T
<b>Vorderrad</b> Front Wheel	Rim: HQV Edition RYDE DISC35, 32H, 27.5" / Hub: HUSQVARNA Pro Boost, 15x110mm, 6-Bolt, 32H
<b>Hinterrad</b> Rear Wheel	Rim: HQV Edition RYDE DISC35, 32H, 27.5" / Hub: HUSQVARNA Pro-E Boost, 12x148mm, Shimano, 6-Bolt, 32H
<b>Reifen</b> Tire	SCHWALBE, MAGIC MARY, Performance, Snake Skin, TLE, 27.5x2,6
<b>Pedal</b> Pedal	VP COMPONENTS, VP-E506
<b>Zul. Gesamtgewicht</b> max. Weight	130kg

EUR 4.699,- | CHF 5.499,- | CZK 125.990,- | SEK 51.990,-

Empf. VK-Preis (inkl.MwSt.)

## HC6

### Artikelnummer/Item

4000001142	Rh 42	Blue / Cyan / White
4000001144	Rh 44	Blue / Cyan / White
4000001146	Rh 46	Blue / Cyan / White
4000001148	Rh 48	Blue / Cyan / White