

MOUNTAIN CROSS 27.5+

MCX

SHIMANO
STePS
E8000-Serie

Skeleton
Interface

150mm
travel

630
Wh



Rahmen Frame	27.5" Alloy 6061, All Mountain, Skeleton Interface, Full Integrated Battery, Full Active 4-Link 150mm travel, Boost 12 x 148mm, Post Mount 180
Federgabel Fork	ROCK SHOX Pike Ultimate RCT3, Charger RCT3, Boost, Tapered, Maxle Ultimate, 150mm
Dämpfer Shock	ROCK SHOX Deluxe Ultimate RCT, Debonair, 205 X 60, Trunion,
Motor Drive Unit	SHIMANO STePS DU-E8000, 70Nm
Display Display	SHIMANO SC-E8000 LCD Colour Display with ANT+ & Bluetooth Function
Bedieneinheit Shifter	SHIMANO SW-E7000-L STePS, 2-Button, Compact
Batterie Battery	SIMPLO 630Wh, Internal Battery, (36V / 17,5AH)
Ladegerät Charger	SIMPLO Fast Charger, 4A & Adapter for Intube Battery
Lenker Handlebar	RACE FACE, NEXT R Carbon, Width: 780mm, Rise: 20mm, Back Sweep: 8°, Up Sweep: 5°, Bar Bore, 35mm
Vorbau Stem	RACE FACE Turbine, CNC Alloy, 40mm, 0°, 35mm
Griffe Grip	ERGON GA20, Ergonomic Mountain Bike Grip
Bremsen Brake	MAGURA MT7 Pro, hydr. Disc, Front: 4-Piston / Rear: 2-Piston, Reach Adjust,
Gr. Bremsscheiben Rotorsize	203 / 180
Sattel Saddle	PROLOGO Dimension Nack CPC
Sattelstütze Seatpost	KINDSHOCK CI Dropper Post, Carbon,(S: 125mm, M/L: 150mm, XL: 170mm), 31.6mm
Schaltwerk Rear Derailleur	SRAM XO1, Eagle AXS, Electronic, 12-Speed
Schalthebel Shifter	SRAM Eagle AXS, Electric, 12-Speed
Kassette Cassette	SRAM XO1 EAGLE, XG-1299, 10-50T
Kette Chain	SRAM CNGX
Kurbeln Crankarms	HUSQVARNA, Forged Alloy, 170mm
Kettenblatt Chaining	SRAM EAGLE ASX, Alloy, Narrow Wide, 34T
Vorderrad Front Wheel	BIKE AHEAD BiturboRS 650b, Full Carbon 6 Spoke, Tubeless Ready, 6 Bolt, Sram XD, 27.5"
Hinterrad Rear Wheel	BIKE AHEAD BiturboRS 650b, Full Carbon 6 Spoke, Tubeless Ready, 6 Bolt, Sram XD, 27.5"
Reifen Tire	SCHWALBE, EDDY CURRENT Front Evo, Super, Addix, 27.5x2,6
Pedal Pedal	VP COMPONENTS, VP-E506
Zul. Gesamtgewicht max. Weight	130kg

EUR 11.999,- | CHF 13.999,- | CZK 319.990,- | SEK 129.990,-

Empf. VK-Preis (inkl.MwSt.)

MCX

Artikelnummer/Item

4000001040	Rh 40	Black / Black / Gold
4000001044	Rh 44	Black / Black / Gold
4000001048	Rh 48	Black / Black / Gold
4000001052	Rh 52	Black / Black / Gold

MC8

SHIMANO
STePS
E8000-SerieSkeleton
InterfaceDi2
DIGITAL INTEGRATED INTELLIGENCE150mm
travel630
Wh

Rahmen Frame	27.5" Alloy 6061, All Mountain, Skeleton Interface, Full Integrated Battery, Full Active 4-Link 150mm travel, Boost 12 x 148mm, Post Mount 180
Federgabel Fork	FOX 34 FLOAT, Factory Series E-Bike, FIT4, Boost, Tapered, 150mm
Dämpfer Shock	FOX FLOAT DPS, Factory Series. 3pos-Adjust, 205 x 60, Trunnion
Motor Drive Unit	SHIMANO STePS DU-E8000, 70Nm
Display Display	SHIMANO SC-E8000 LCD Colour Display with ANT+ & Bluetooth Function
Bedieneinheit Shifter	SHIMANO SW-E8050-L STePS, Firebolt
Batterie Battery	SIMPLO 630Wh, Internal Battery, (36V / 17,5AH)
Ladegerät Charger	SIMPLO Fast Charger, 4A & Adapter for Intube Battery
Lenker Handlebar	HUSQVARNA MTB35, Low Rise, 780mm, 20mm Rise, 9° Back Sweep, 6° Up Sweep, Bar Bore: 35mm
Vorbau Stem	HUSQVARNA, Adjust, Alloy, 80mm, -10° - +60°, 31.8mm
Griffe Grip	ERGON GA20, Ergonomic Mountain Bike Grip
Bremsen Brake	SHIMANO DEORE XT, BR-MT8020, 4-Piston, Servowave, Reach Adjust,
Gr. Bremsscheiben Rotorsize	203 / 180
Sattel Saddle	HUSQVARNA MTB RDE
Sattelstütze Seatpost	KINDSHOK E20i Dropper Post, Alloy, (S: 375/100mm, M/L: 430/115mm, XL: 485/150mm), 31.6mm
Schaltwerk Rear Derailleur	SHIMANO DEORE XT Di2, RD-M8050, GS, 11-Speed, Shadow Plus
Schalthebel Shifter	SHIMANO DEORE XT Di2, SW-M8050, Firebolt, 11-Speed
Kassette Cassette	SHIMANO DEORE XT, CS-M8000-11, 11-42T
Kette Chain	KMC X11e
Kurbeln Crankarms	HUSQVARNA, Forged Alloy, 170mm
Kettenblatt Chaining	HUSQVARNA, Alloy, Narrow Wide, 34T
Vorderrad Front Wheel	DT SWISS, H1700 SPLINE, 35mm Rim, Tubeless Ready, Center Lock, Shimano, 27.5"
Hinterrad Rear Wheel	DT SWISS, H1700 SPLINE, 35mm Rim, Tubeless Ready, Center Lock, Shimano, 27.5"
Reifen Tire	SCHWALBE, EDDY CURRENT Front Evo, Super, Addix, 27.5x2,6
Pedal Pedal	VP COMPONENTS, VP-E506
Zul. Gesamtgewicht max. Weight	130kg

EUR	6.799,-	CHF	7.999,-	CZK	179.990,-	SEK	74.990,-
-----	---------	-----	---------	-----	-----------	-----	----------

Empf. VK-Preis (inkl. MwSt.)

MC8

Artikelnummer/Item

4000000940	Rh 40	Blue / White / Yellow
4000000944	Rh 44	Blue / White / Yellow
4000000948	Rh 48	Blue / White / Yellow
4000000952	Rh 52	Blue / White / Yellow

MOUNTAIN CROSS 27.5+

MC7

SHIMANO
STePS
E8000-Serie

Skeleton
Interface

150mm
travel

630
Wh



Rahmen Frame	27.5" Alloy 6061, All Mountain, Skeleton Interface, Full Integrated Battery, Full Active 4-Link 150mm travel, Boost 12 x 148mm, Post Mount 180
Federgabel Fork	FOX 34 FLOAT, Performance Elite Series E-Bike, 150mm, FIT4, Boost, Tapered
Dämpfer Shock	FOX FLOAT DPS, Performance Elite Series, 3pos Adjust, 205 x 60, Trunnion
Motor Drive Unit	SHIMANO STePS DU-E8000, 70Nm
Display Display	SHIMANO SC-E8000 LCD Colour Display with ANT+ & Bluetooth Function
Bedieneinheit Shifter	SHIMANO SW-E7000-L STePS, 2-Button, Compact
Batterie Battery	SIMPLO 630Wh, Internal Battery, (36V / 17,5AH)
Ladegerät Charger	SIMPLO Fast Charger, 4A & Adapter for Intube Battery
Lenker Handlebar	HUSQVARNA MTB35, Low Rise, 780mm, 20mm Rise, 9° Back Sweep, 6° Up Sweep, Bar Bore: 35mm
Vorbau Stem	HUSQVARNA, Alloy, 40mm, 0°, 35mm
Griffe Grip	ERGON GA20, Ergonomic Mountain Bike Grip
Bremsen Brake	SHIMANO BR-MT520, hydr. Disc, 4-Piston, Servowave,
Gr. Bremsscheiben Rotorsize	203 / 180
Sattel Saddle	HUSQVARNA MTB RDE
Sattelstütze Seatpost	KINDSHOK E20i Dropper Post, Alloy, (S: 375/100mm, M/L: 430/115mm, XL: 485/150mm), 31.6mm
Schaltwerk Rear Derailleur	SHIMANO DEORE XT, RD-M8100, SGS, 12-Speed, Shadow Plus
Schalthebel Shifter	SHIMANO DEORE XT, SL-M7100, Rapidfire Plus, 12-Speed
Kassette Cassette	SHIMANO SLX, CSM7100-12, 10-51T
Kette Chain	SHIMANO SLX CN-M7100
Kurbeln Crankarms	HUSQVARNA, Forged Alloy, 170mm
Kettenblatt Chaining	HUSQVARNA, Alloy, Narrow Wide, 34T
Vorderrad Front Wheel	DT SWISS, H1900 SPLINE, 35mm Rim, Tubeless Ready, Center Lock, Mircospline, 27.5"
Hinterrad Rear Wheel	DT SWISS, H1900 SPLINE, 35mm Rim, Tubeless Ready, Center Lock, Mircospline, 27.5"
Reifen Tire	SCHWALBE, EDDY CURRENT Front Evo, Super, Addix, 27.5x2,6
Pedal Pedal	VP COMPONENTS, VP-E506
Zul. Gesamtgewicht max. Weight	130kg



EUR 5.899,- | CHF 6.999,- | CZK 159.990,- | SEK 64.990,-
Empf. VK-Preis (inkl.MwSt.)

MC7

Artikelnummer/Item

4000000840	Rh 40	Bronze Glossy / Bronze / Red
4000000844	Rh 44	Bronze Glossy / Bronze / Red
4000000848	Rh 48	Bronze Glossy / Bronze / Red
4000000852	Rh 52	Bronze Glossy / Bronze / Red

MC6

SHIMANO
STePS
E8000-SerieSkeleton
Interface150mm
travel630
Wh

Rahmen Frame	27.5" Alloy 6061, All Mountain, Skeleton Interface, Full Integrated Battery, Full Active 4-Link 150mm travel, Boost 12 x 148mm, Post Mount 180
Federgabel Fork	ROCK SHOX 35 Gold RL, Debon Air, Boost, Tapered, Maxle Lite, 150mm
Dämpfer Shock	ROCK SHOX Deluxe Ultimate RCT, Debonair, 205 X 60, Trunnion,
Motor Drive Unit	SHIMANO STePS DU-E8000, 70Nm
Display Display	SHIMANO SC-E8000 LCD Colour Display with ANT+ & Bluetooth Function
Bedieneinheit Shifter	SHIMANO SW-E7000-L STePS, 2-Button, Compact
Batterie Battery	SIMPLO 630Wh, Internal Battery, (36V / 17,5AH)
Ladegerät Charger	SIMPLO Fast Charger, 4A & Adapter for Intube Battery
Lenker Handlebar	HUSQVARNA MTB35, Low Rise, 780mm, 20mm Rise, 9° Back Sweep, 6° Up Sweep, Bar Bore: 35mm
Vorbau Stem	HUSQVARNA, Alloy, 40mm, 0°, 35mm
Griffe Grip	ERGON GA20, Ergonomic Mountain Bike Grip
Bremsen Brake	SHIMANO BR-MT520, hydr. Disc, 4-Piston, Servowave,
Gr. Bremsscheiben Rotorsize	203 / 180
Sattel Saddle	HUSQVARNA MTB RDE
Sattelstütze Seatpost	HUSQVARNA, Dropper Post, Alloy, (S: 370/100mm, M/L: 420/125mm, XL: 480/150mm), 31.6mm
Schaltwerk Rear Derailleur	SRAM GX-12, Eagle, 12-Speed
Schalthebel Shifter	SRAM NX-E Trigger, Single Click, 12-Speed
Kassette Cassette	SRAM GX EAGLE, PG-1230, 11-42T
Kette Chain	SRAM CNGX
Kurbeln Crankarms	HUSQVARNA, Forged Alloy, 170mm
Kettenblatt Chaining	SRAM EAGLE, Steel, Narrow Wide, 34T
Vorderrad Front Wheel	Rim: HQV Edition RYDE DISC35, 32H, 27.5" / Hub: HUSQVARNA Pro Boost, 15x110mm, 6-Bolt, 32H
Hinterrad Rear Wheel	Rim: HQV Edition RYDE DISC35, 32H, 27.5" / Hub: HUSQVARNA Pro-E Boost, 12x148mm, Shimano, 6-Bolt, 32H
Reifen Tire	SCHWALBE, NOBBY NIC, Performance, 27.5x2,6
Pedal Pedal	VP COMPONENTS, VP-E506
Zul. Gesamtgewicht max. Weight	130kg

EUR	5.199,-	CHF	6.199,-	CZK	139.990,-	SEK	56.990,-
-----	---------	-----	---------	-----	-----------	-----	----------

Empf. VK-Preis (inkl.MwSt.)

MC6

Artikelnummer/Item

4000000740	Rh 40	Black / Anthracite / Mustard
4000000744	Rh 44	Black / Anthracite / Mustard
4000000748	Rh 48	Black / Anthracite / Mustard
4000000752	Rh 52	Black / Anthracite / Mustard

MOUNTAIN CROSS 27.5+

MC5

SHIMANO
STePS
E8000-Serie

Skeleton
Interface

150mm
travel

630
Wh



Rahmen Frame	27.5" Alloy 6061, All Mountain, Skeleton Interface, Full Integrated Battery, Full Active 4-Link 150mm travel, Boost 12 x 148mm, Post Mount 180
Federgabel Fork	SR SUNTOUR ZERON35, Air, LOR8, Boost, 15QLC32, Tapered, 150mm
Dämpfer Shock	SR SUNTOUR EDGE LOR, 205 x 60, Trunnion
Motor Drive Unit	SHIMANO STePS DU-E8000, 70Nm
Display Display	SHIMANO SC-E7000 LED Display with ANT+ & Bluetooth Function
Bedieneinheit Shifter	SHIMANO SW-E7000-L STePS, 2-Button, Compact
Batterie Battery	SIMPLO 630Wh, Internal Battery, (36V / 17,5AH)
Ladegerät Charger	SIMPLO Fast Charger, 4A & Adapter for Intube Battery
Lenker Handlebar	HUSQVARNA MTB35, Low Rise, 780mm, 20mm Rise, 9° Back Sweep, 6° Up Sweep, Bar Bore: 35mm
Vorbau Stem	HUSQVARNA, Alloy, 40mm, 0°, 35mm
Griffe Grip	ERGON GA20, Ergonomic Mountain Bike Grip
Bremsen Brake	SHIMANO BR-MT420, hydr Disc, 4-Piston,
Gr. Bremscheiben Rotorsize	203 / 180
Sattel Saddle	HUSQVARNA MTB RDE
Sattelstütze Seatpost	HUSQVARNA, Dropper Post, Alloy, (S: 370/100mm, M/L: 420/125mm, XL: 480/150mm), 31.6mm
Schaltwerk Rear Derailleur	SRAM NX-11, 11-Speed
Schalthebel Shifter	SRAM NX Trigger, X-Actuation, 11-Speed
Kassette Cassette	SRAM NX, PG-1130, 11-42T
Kette Chain	KMC X11e
Kurbeln Crankarms	HUSQVARNA, Forged Alloy, 170mm
Kettenblatt Chaining	HUSQVARNA, Steel, Narrow Wide, 34T
Vorderrad Front Wheel	Rim: HQV Edition RYDE DISC35, 32H, 27.5" / Hub: HUSQVARNA Pro Boost, 15x110mm, 6-Bolt, 32H
Hinterrad Rear Wheel	Rim: HQV Edition RYDE DISC35, 32H, 27.5" / Hub: HUSQVARNA Pro-E Boost, 12x148mm, Shimano, 6-Bolt, 32H
Reifen Tire	SCHWALBE, NOBBY NIC, Performance, 27.5x2,6
Pedal Pedal	VP COMPONENTS, VP-E506
Zul. Gesamtgewicht max. Weight	130kg

EUR 4.699,- | CHF 5.499,- | CZK 125.990,- | SEK 51.990,-

Empf. VK-Preis (inkl. MwSt.)

MC5

Artikelnummer/Item

4000000640	Rh 40	Green / White / Bronze
4000000644	Rh 44	Green / White / Bronze
4000000648	Rh 48	Green / White / Bronze
4000000652	Rh 52	Green / White / Bronze

MC4

SHIMANO
STePS
E7000-SerieSkeleton
Interface150mm
travel

Rahmen Frame	27.5" Alloy 6061, All Mountain, Skeleton Interface, Full Integrated Battery, Full Active 4-Link 150mm travel, Boost 12 x 148mm, Post Mount 180
Federgabel Fork	SR SUNTOUR ZERON35, Air, LOR8, Boost, 15QLC32, Tapered, 150mm
Dämpfer Shock	SR SUNTOUR EDGE LOR, 205 x 60, Trunnion
Motor Drive Unit	SHIMANO STePS DU-E7000, 60Nm
Display Display	SHIMANO SC-E7000 LED Display with ANT+ & Bluetooth Function
Bedieneinheit Shifter	SHIMANO SW-E7000-L STePS, 2-Button, Compact
Batterie Battery	SIMPLO 504Wh, Internal Battery, (36V / 14AH)
Ladegerät Charger	SIMPLO Fast Charger, 4A & Adapter for Intube Battery
Lenker Handlebar	HUSQVARNA MTB35, Low Rise, 780mm, 20mm Rise, 9° Back Sweep, 6° Up Sweep, Bar Bore: 35mm
Vorbau Stem	HUSQVARNA, Alloy, 40mm, 0°, 35mm
Griffe Grip	HUSQVARNA Ride, D2 Compound, Lock-on
Bremsen Brake	TEKTRO ORION 4+2 P, hydr. Disc, F 4 Piston / R 2 Piston
Gr. Bremsscheiben Rotorsize	203 / 180
Sattel Saddle	HUSQVARNA MTB RDE
Sattelstütze Seatpost	HUSQVARNA, Dropper Post, Alloy, (S: 370/100mm, M/L: 420/125mm, XL: 480/150mm), 31.6mm
Schaltwerk Rear Derailleur	SHIMANO, DEORE, RD-M6000, GS, 10-Speed, Shadow Plus
Schalthebel Shifter	SHIMANO DEORE, SL-M6000, Rapidfire Plus, 10-Speed
Kassette Cassette	SHIMANO DEORE, CS-HG550, 11-42T
Kette Chain	KMC X10e
Kurbeln Crankarms	HUSQVARNA, Forged Alloy, 170mm
Kettenblatt Chaining	HUSQVARNA, Steel, Narrow Wide, 34T
Vorderrad Front Wheel	Rim: HQV Edition RYDE DISC35, 32H, 27.5" / Hub: HUSQVARNA Pro Boost, 15x110mm, 6-Bolt, 32H
Hinterrad Rear Wheel	Rim: HQV Edition RYDE DISC35, 32H, 27.5" / Hub: HUSQVARNA Pro-E Boost, 12x148mm, Shimano, 6-Bolt, 32H
Reifen Tire	SCHWALBE, NOBBY NIC, Performance, 27.5x2,6
Pedal Pedal	VP COMPONENTS, VP-E506
Zul. Gesamtgewicht max. Weight	130kg

EUR	4.199,-	CHF	4.999,-	CZK	112.990,-	SEK	45.990,-
-----	---------	-----	---------	-----	-----------	-----	----------

Empf. VK-Preis (inkl. MwSt.)

MC4

Artikelnummer/Item

4000000540	Rh 40	Anthracite / Yellow / White
4000000544	Rh 44	Anthracite / Yellow / White
4000000548	Rh 48	Anthracite / Yellow / White
4000000552	Rh 52	Anthracite / Yellow / White