

ALLMTN



OUR LEGENDARY
ALLMTN MODELS,
REDEFINED

THE DO IT ALL SHREDDERS,
NEW AND IMPROVED
FOR MY22.

ALLMTN 7 | 160 MM ALLOY



ZUR FARB- UND GRAFISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION, FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



ALLMTN 10



MATTE-GLOSSY



BLACK INK



AL	160/160	MIXED	YAMAHA PW-X3	750	MRS	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (MM) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS	OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h
Display	Yamaha Interface - X
Akku / Battery	InTube 750Wh
Ladegerät / Charger	Schnellladegerät 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	FOX 38 Factory Kashima, air,
Dämpfer / Damper	FOX Float X Factory EVOL LV, air
Schaltwerk / Rear derailleur	Shimano Deore XT M8100 Shadow Plus, 12-speed
Schalthebel / Shift lever	Shimano Deore XT M8100, trigger switch
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth
Kette / Chain	Shimano SLX M7100
Kettenblatt / Chainring	aluminium, Haibike Components, 36
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano Deore XT M8100, aluminium

Bremse vorne / Brake front	Shimano Deore XT M8120, 203mm
Bremse hinten / Brake rear	Shimano Deore XT M8120, 203mm
Reifen vorne / Tyres front	Maxxis Minion DHF, 63-622
Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Laufradausatz / Wheel set	Mavic E-Deemax
Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	fi'zi:k Terra Aidon X5-160
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB All Mountain



ZUR FARB- UND GRAFISVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION, FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



ALLMTN 7 | C1



MATTE-GLOSSY



GREEN SHADOW

NEW



METALLIC CARAMEL STREET

NEW



AL	160/160	MIXED	YAMAHA PW-X3	750	MRS	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (MM) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS	OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h
Display	Yamaha Interface - X
Akku / Battery	InTube 750Wh
Ladegerät / Charger	Schnellladegerät 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	FOX 36 Float Performance Luft 160 Lockout, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	FOX Float DPS Performance EVOL LV Trunnion, air
Schaltwerk / Rear derailleur	Sram GX Eagle, 12-speed
Schalthebel / Shift lever	Sram GX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1230, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync 2, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Magura MT7 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT7, 203mm
Bremse hinten / Brake rear	Magura MT7, 203mm

Reifen vorne / Tyres front	Maxxis Minion DHF, 63-622
Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem +++, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	fi'zi:k Terra Aidon X5-160
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB All Mountain



ZUR FARB- UND GRAFISVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION, FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



ALLMTN 7 | C2

- MATTE
- RED
- BLACK INK
- NEON YELLOW



AL	160/160	MIXED	YAMAHA PW-X3	750	MRS	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (MM) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS	OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h
Display	Yamaha Interface - X
Akku / Battery	InTube 750Wh
Ladegerät / Charger	Schnellladegerät 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	FOX 36 Float Performance Luft 160 Lockout, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	FOX Float DPS Performance EVOL LV Trunnion, air
Schaltwerk / Rear derailleur	Sram GX Eagle, 12-speed
Schalthebel / Shift lever	Sram GX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1230, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync 2, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Magura MT7 HC-lever, aluminium
Bremse vorne / Brake front	Magura MT7, 203mm
Bremse hinten / Brake rear	Magura MT7, 203mm

Reifen vorne / Tyres front	Maxxis Minion DHF, 63-622
Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem +++, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	fi'zi:k Terra Aidon X5-160
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB All Mountain



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION, FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



ALLMTN 4



GLOSSY

NEW



KHAKI GREEN



RED



HONEYDEW



AL	160/160	MIXED	YAMAHA PW-X3	750	MRS	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (MM) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS	OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 750Wh
Ladegerät / Charger	Schnellladegerät 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox Yari RC, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air
Schaltwerk / Rear derailleur	Shimano SLX M7100, 12-speed
Schalthebel / Shift lever	Shimano Deore SLX M7100
Zahnkranz (hinten) / Sprocket	Shimano M6100, 10-51 teeth
Kette / Chain	Shimano CN-M6100
Kettenblatt / Chainring	aluminium, Haibike Components, 36
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano Deore M6100, aluminium
Bremse vorne / Brake front	Shimano Deore M6120, aluminium, 203mm
Bremse hinten / Brake rear	Shimano Deore M6120, aluminium, 203mm

Reifen vorne / Tyres front	Maxxis Minion DHF, 63-622
Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Shimano MT410-B
Hinterradnabe / Rear wheel hub	Shimano MT410-B
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB All Mountain



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION, FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



ALLMTN 2 | C1



GLOSSY

NEW NEW



WARM URBAN GREY



LEMON CREAM



BLACK INK



AL	160/160	MIXED	YAMAHA PW-X3	630	MRS	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (MM) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS	OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 630Wh
Ladegerät / Charger	Schnellladegerät 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync 2, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	TRP Slate T4, aluminium
Bremse vorne / Brake front	TRP Slate T4, aluminium, 203mm
Bremse hinten / Brake rear	TRP Slate T4, aluminium, 203mm

Reifen vorne / Tyres front	Maxxis Minion DHF, 63-622
Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem +++, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB All Mountain



ZUR FARB- UND GRAFISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION, FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



ALLMTN 2 | C2



GLOSSY



AQUAMARINE

NEW



MIAMI GREEN



BLACK INK



AL	160/160	MIXED	YAMAHA PW-X3	630	MRS	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (MM) FRONT/REAR	WHEEL SIZE 29"/27.5"	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS	OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 630Wh
Ladegerät / Charger	Schnellladegerät 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync 2, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	TRP Slate T4, aluminium
Bremse vorne / Brake front	TRP Slate T4, aluminium, 203mm
Bremse hinten / Brake rear	TRP Slate T4, aluminium, 203mm

Reifen vorne / Tyres front	Maxxis Minion DHF, 63-622
Reifen hinten / Tyres rear	Maxxis Minion DHR II, 66-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i35 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem +++, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB All Mountain

ALLTRAIL



RELIABLE EMTB'S FOR LONG RIDES
AND COMFORTABLE OFF-ROAD
PERFORMANCE.

ALLTRAIL 7 | 140/140 MM ALLOY 27'5" + 140 /140 MM ALLOY 29"



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION, FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



ALLTRAIL 9



GLOSSY



METALLIC STONE
BLUE



METALLIC OLIVE



AL	140/140	29" 27.5"	YAMAHA PW-X3	750	MRS	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (MM) FRONT/REAR	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS	OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 750Wh
Ladegerät / Charger	Schnellladegerät 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air
Schaltwerk / Rear derailleur	Sram NX Eagle, 12-speed
Schalthebel / Shift lever	Sram NX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync 2, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm
Reifen vorne / Tyres front	Schwalbe Magic Mary Evo TLE, 65-622 27.5": Schwalbe Magic Mary Evo TLE, 65-584

Reifen hinten / Tyres rear	Schwalbe Hans Dampf Evo TLE, 65-622 27.5": Schwalbe Hans Dampf Evo TLE, 65-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim 27.5": WTB ST i35 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim 27.5": WTB ST i35 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar +++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 7°
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB Cross Country & Marathon



ZUR FARB- UND GRAFISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION, FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



ALLTRAIL 7 | C1



GLOSSY



SILVER PEARL

NEW



BLACK INK



AL	140/140	29" 27.5"	YAMAHA PW-X3	630	MRS	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (MM) FRONT/REAR	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS	OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 630Wh
Ladegerät / Charger	Schnellladegerät 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync 2, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	TRP Slate T4, aluminium
Bremse vorne / Brake front	TRP Slate T4, aluminium, 203mm
Bremse hinten / Brake rear	TRP Slate T4, aluminium, 203mm
Reifen vorne / Tyres front	Schwalbe Nobby Nic Evo SuperTrail, 65-622 27.5": Schwalbe Nobby Nic Evo SuperTrail, 65-584

Reifen hinten / Tyres rear	Schwalbe Nobby Nic Evo SuperTrail, 65-622 27.5": Schwalbe Nobby Nic Evo SuperTrail, 65-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim 27.5": WTB ST i35 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim 27.5": WTB ST i35 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 7"
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB Cross Country & Marathon



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION, FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



ALLTRAIL 7 | C2



GLOSSY



BLACK INK

NEW



METALLIC CARAMEL STREET



AL	140/140	29" 27.5"	YAMAHA PW-X3	630	MRS	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (MM) FRONT/REAR	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS	OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 630Wh
Ladegerät / Charger	Schnellladegerät 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	RockShox 35 Gold RL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	RockShox Deluxe Select Plus, air
Schaltwerk / Rear derailleur	Sram SX Eagle, 12-speed
Schalthebel / Shift lever	Sram SX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1210, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync 2, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	TRP Slate T4, aluminium
Bremse vorne / Brake front	TRP Slate T4, aluminium, 203mm
Bremse hinten / Brake rear	TRP Slate T4, aluminium, 203mm
Reifen vorne / Tyres front	Schwalbe Nobby Nic Evo SuperTrail, 65-622 27.5": Schwalbe Nobby Nic Evo SuperTrail, 65-584

Reifen hinten / Tyres rear	Schwalbe Nobby Nic Evo SuperTrail, 65-622 27.5": Schwalbe Nobby Nic Evo SuperTrail, 65-584
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim 27.5": WTB ST i35 TCS, double-walled rim
Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim 27.5": WTB ST i35 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Haibike Components The Hub ++ Steckachse 15x110mm
Hinterradnabe / Rear wheel hub	Haibike Components TheHub ++ Steckachse 12x148
Speichen / Spokes	Sapim Race, black
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	Haibike MTB grips
Vorbau / Stem	Haibike Components TheStem ++, A-head, Bar bore: 31.8mm, 7"
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	Selle Royal Vivo
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	MTB Cross Country & Marathon

ADVENTR

FULLY EQUIPPED FOR
DAILY AND WEEKEND
ADVENTURES

FULL TRAVEL, PRACTICAL EMTB'S FOR A
RANGE OF OUTDOOR EXPERIENCES.



ADVENTR FS 10 | 140 MM ALLOY



ZUR FARB- UND GRAFIKVISUALISIERUNG SIEHE SEITENBILD FÜR KORREKTE SPEZIFIKATION, FOR COLOR AND GRAPHICS VISUALIZATION PURPOSES, SEE SIDE SHOT FOR CORRECT SPEC.



ADVENTR FS 10



GLOSSY

NEW



WARM URBAN GREY



BLACK INK

NEW



LIGHT WARM GREY



AL	140/140	29"	YAMAHA PW-X3	750	MRS	RANGE EXTENDER	150
FRAME MATERIAL	TRAVEL (MM) FRONT/REAR	WHEEL SIZE	DRIVE UNIT	BATTERY CAPACITY (WH)	MRS	OPTIONAL	PER. TOTAL WEIGHT (KG)

Motor	Yamaha PW-X3, 250W, 85Nm, 25km/h
Display	Yamaha Side Switch
Akku / Battery	InTube 750Wh
Ladegerät / Charger	Schnellladegerät 4A
Rahmen / Frame	aluminium, Steckachse M12 (1.00) x 148mm, disc brake Post Mount
Gabel / Fork	FOX 34 Float AWL, air, Aluschaft 1 1/8 - 1 1/2" tapered, thru-axle Boost
Dämpfer / Damper	FOX Float DPS Performance EVOL LV Trunnion, air
Schaltwerk / Rear derailleur	Sram NX Eagle, 12-speed
Schalthebel / Shift lever	Sram NX Eagle, trigger switch
Zahnkranz (hinten) / Sprocket	Sram Eagle PG1230, 11-50 teeth
Kette / Chain	Sram SX Eagle
Kettenblatt / Chainring	Sram X-Sync 2, 38
Kettenführung / Chain guide	Nylon directmount
Bremshebel / Brake lever	Shimano MT401, aluminium
Bremse vorne / Brake front	Shimano MT420, aluminium, 203mm
Bremse hinten / Brake rear	Shimano MT420, aluminium, 203mm
Reifen vorne / Tyres front	Schwalbe Johnny Watts Performance, 60-622
Reifen hinten / Tyres rear	Schwalbe Johnny Watts Performance, 60-622
Felgen vorne / Rims front	WTB ST i30 TCS, double-walled rim

Felgen hinten / Rims rear	WTB ST i30 TCS, double-walled rim
Vorderradnabe / Front wheel hub	Shimano MT400-B
Hinterradnabe / Rear wheel hub	Shimano MT400-B
Speichen / Spokes	Sapim Leader, black
Lenker / Handlebar	Haibike Components TheBar ++ 780mm
Griffe / Grips	XLC Comfort bo3
Vorbau / Stem	Alu, A-head, Bar bore: 31.8mm
Steuersatz / Headset	Acros BlockLock
Sattel / Saddle	fi'zi:k Terra Aidon X5-160
Sattelstütze / Seat post	Dropper-Post Remote, telescope, 34.9mm, aluminium
Pedale / Pedals	Freeridepedal aluminium, mit Reflektor
Scheinwerfer / Headlight	LiteMove AE-130, 130 lux
Rücklicht / Rear light	Adventr TBD
Dynamo / Dynamo	via system battery
Gepräckträger / Carrier	StandWell system carrier, XLC Carrymore
Schutzbleche / Fenders	Curana Apollo 75, aluminium
Ständer / Stand	Ursus Mooi, adjustable
Zul. Gesamtgewicht / Permitted total weight	150kg
Fahrradtyp / Bicycle type	City, Trekking, Cross