



- MATTE CARBON RAW
- COPPER 10369 C

B U L D S
I

BURN FACTORY

Featuring Fox Factory suspensions, SRAM XX AXS groupset and DT Swiss EXC 1501 wheelset.

FACTORY SPEC

FRAME

UNNO BURN

Carbon fibre monocoque with 160mm of rear travel.

Virtual pivot suspension system. Integrated chain guide and seat tube clamp. Down tube protector. EnduroMAX Bearings. Internal cable routing. Boost thru axle 12x148. Post Mount brake system. Max tire width: 2.6".

Oceanworks recycled plastic parts and rubber protectors.

Recommended sag: 35% (+/- 5%).

FORK

FOX 38 FACTORY

170mm travel. Kashima coating. Grip 2 damper. 15x110 axle. Adjustments: HSC, LSC, HSR, LSR. 44mm offset.

SHOCK

FOX FLOAT X2 FACTORY

230x65mm. Kashima Coating. 2-pos lever. VVC Rebound. Adjustments: HSC, LSC, HSR, LSR.

DERAILLEUR

SRAM XX AXS

12-speed Eagle technology. Battery: EP Powerpack 2. T-type.

TRIGGER

SRAM POD Ultimate AXS

Wireless. MMX. Right bridge.

CHAIN

SRAM XX EAGLE

120 links T-type.

CASSETTE

SRAM XX

XG 1297. 520% range. 10-52T.

CRANKSET

SRAM XX CARBON

Carbon. DUB. 170mm. Black. 34T Chainring.

COCKPIT

DEUX ENDURO BARS

Integrated bars and stem. No-bolts design. Internal fork tube clamp. 800mm width, 20mm rise, 40mm stem.

WHEELS

DT SWISS EXC 1501

29" Front. 27.5" rear. XD mount.

BRAKES

FORMULA CURA 4

4X18mm pistons on caliper. SRAM Matchmaker. Sintered pads. Axial master cylinder.

ROTORS

FORMULA CURA ROTORS

220mm front and 203mm rear. Extreme lateral stiffness, anti-noise design and anti-vibration technology.

FRONT TYRE

MAXXIS ASSEGAI

29x2.50WT, 3CMaxxGrip, EXO+, TR.

REAR TYRE

MAXXIS MINION DHR II

27.5x2.40WT, 3CMaxxTerra, DD, TR

SEAT POST

ROCKSHOX REVERB AXS

S1: 125 / S2: 150 / S3: 175mm travel.

SADDLE

SELLE ITALIA MODEL X

Fibra-tek. Manganese.



- VIVA MAGENTA 18-1750 TCX
- BLACK 433 C

B U L D S
I

BURN ELITE

Featuring RockShox suspensions, GX groupset
and DT SWISS E 1900 wheels.

ELITE SPEC

FRAME

UNNO BURN

Carbon fibre monocoque with 160mm of rear travel.

Virtual pivot suspension system. Integrated chain guide and seat tube clamp. Down tube protector. EnduroMAX

Bearings. Internal cable routing. Boost thru axle

12x148. Post Mount brake system. Max tire width: 2.6".

12x148. Post Mount brake system. Max tire width: 2.6".

Oceanworks recycled plastic parts and rubber protectors.

Recommended sag: 35% (+/- 5%).

FORK

ROCKSHOX ZEB SELECT 29

170mm travel. 15x110 axle. Rebound adjustment. 44mm offset.

SHOCK

ROCKSHOX SUPER DELUXE SELECT R

230x65mm. Rebound adjustment.

DERAILLEUR

SRAM GX

12-speed Eagle technology. Mechanical. T-type.

TRIGGER

SRAM GX

Mechanical.

CHAIN

SRAM GX EAGLE

125 links.

CASSETTE

SRAM GX

XG 1275. 10-52T. 520% Range.

CRANKSET

SRAM GX EAGLE

170mm. DUB. Lunar. 32T Chainring.

COCKPIT

E*THIRTEEN BASE

E13 Base Bars. Aluminium. 800mm wide, for 35mm clamp. Laser. E13 Base 35 stem.

WHEELS

DT SWISS E 1900

29" Front. 27.5" rear. XD mount.

BRAKES

FORMULA CURA 4

4X18mm pistons on caliper. SRAM Matchmaker. Sintered pads. Axial master cylinder.

ROTORS

FORMULA CURA ROTORS

220mm front and 203mm rear. Extreme lateral stiffness, anti-noise design and anti-vibration technology.

FRONT TYRE

MAXXIS ASSEGAI

29x2.50WT, 3CMaxxGrip, EXO+, TR.

REAR TYRE

MAXXIS MINION DHR II

27.5x2.40WT, 3CMaxxTerra, DD, TR

SEAT POST

ONEUP DROPPER

Lever MMX. S1: 120 / S2: 150 / S3: 180mm travel

SADDLE

SELLE ITALIA SLR BOOST

Fibra-tek. Manganese.